

THE GERFLOR & GRADUS GUIDE TO THE DFE TECHNICAL SPECIFICATION

For project recommendations conforming to the CF21 framework



Gerflor[®]

GRADUS

Type F1 - Carpet & Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F1	General	Carpet and/or Lino, Rubber or Vinyl	No	No	Yes	No	N/A	Commercial 33	Carpet & Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F1.1	General	In Mainstream Schools & Colleges: General	Yes	No	No	No	Moderate	N/A	Latour²	Mipolam Affinity	Taralay Impression	Taralay Premium
Type F1.1h	Special General	In Special Schools & Colleges: General	Yes	No	No	No	High	Suitable for wheelchairs, no transition strips	Latour²	Mipolam Affinity	Taralay Impression	Taralay Premium
Type F1.1m	Mixed General	Mainstream Classrooms, Shared Teaching Areas, Staff Rooms	Yes	No	No	No	Moderate	Carpet to part of area as shown on FF&E layout: Lino, Rubber or Vinyl around sinks etc.	Latour²	Lunar	Tarasafe Impression	Taralay Premium

Type F2 - ESD Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F2	Stores	Lino, Rubber, Resin or Vinyl	No	No	Yes	No	N/A	Commercial 33	ESD Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F2.1	Stores	Stores, Server Rooms	Yes	No	No	No	Moderate	N/A	Mipolam EL5	Mipolam ELZ	Mipolam Robust ELZ	N/A

* Must withstand a reasonable degree of spillage & damp shoes.

** Must withstand frequent spillages or wetting without damage, staining or absorption.

*** Must withstand regular spillages or wetting without damage, staining or absorption.

Gerflor[®]

GRADUS

Type F3 - Safety Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F3	Non-Slip	Non-Slip Lino, Resin, Rubber or Vinyl	R10	SRV 36+ 20 Microns	Yes	No	N/A	Commercial 33	Safety Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F3.2i	Classroom Non-Slip	Early Years Classrooms/ Classbases & Mainstream Infant Classrooms, Classbases, Primary SEN Classrooms	Yes	Yes	No	No	High	3x3m Carpet Mat (with weighted edging) on top of finish to part of area, as shown on FF&E layout	Tarasafe Impression	Tarasafe Ultra	Tarasafe Standard	N/A
Type F3.4	Chemical Resistant Non-Slip	Light Practical Spaces, Chemical Store, Cleaners Store, Dark Room, Reprographics	Yes	Yes	No	Yes	Moderate	Suitable for heavy movable FF&E on castors	Tarasafe Ultra	N/A	Tarasafe Standard	N/A
Type F3.4h	Hygienic Non-Slip	Food Room, Medical Treatment (MI), Sick Bay, Kitchen Staff & Stores, Hygiene Room	Yes	Yes	No	Yes	High	Suitable for heavy movable FF&E on castors	Tarasafe Impression	Tarasafe Ultra	Tarasafe Standard	N/A

Type F4 - Dining

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F4	Dining	Durable waterproof Lino, Resin, Rubber or Vinyl	No	No	Yes	No	N/A	Commercial 34	Safety Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F4.2h	Dining	Dining Areas, Serveries	Yes	Yes	No	No	High	SRV 36+ Slip Resistance in separate servery areas	Tarasafe Impression	N/A	N/A	N/A

* Must withstand a reasonable degree of spillage & damp shoes.

** Must withstand frequent spillages or wetting without damage, staining or absorption.

*** Must withstand regular spillages or wetting without damage, staining or absorption.

Gerflor[®]

GRADUS

Type F5 - Safety Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F5	Heavy Practical	Heat Resistant Non-Slip Concrete, Resin, Rubber or Vinyl	R11	Minimum SRV 36	Yes	Yes	N/A	Commercial 34 for Rubber & Vinyl	Safety Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F5.4	Heavy Practical	Workshops, DT Prep and Engineering Prep, Kiln Room, Plant Room	Yes	Yes	No	Yes	Moderate	Suitable for heavy movable FF&E on castors	Tarasafe Ultra	Tarasafe Standard	Tarasafe Super	N/A

Type F6 - Sports Vinyl & Undercarriage Systems

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F6	Multi-Purpose	Durable Elastic Composition, Lino, Rubber, Semi-Sprung Timber or Vinyl	R9	N/A	No	No	A3 or A4	Commercial 34	Sports Vinyl & Undercarriage System			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F6.1	Multi-Purpose Sport	Sports Hall, Activity Studio, Dance Studio, Drama Studio, Fitness Room	Yes	Yes	No	No	Moderate	Sports hall floor to accommodate suitable sports court markings	Subflex with Taraflex Vinyl	Subflex with DLW Sports Lino	N/A	N/A
Type F6.2h	Multi Purpose Hall	Assembly Halls, Multi Purpose Halls, Large Spaces	Yes	Yes	No	No	High	Suitable for movable bleacher seating where specified	Subflex with Taraflex Vinyl	Subflex with DLW Sports Lino	N/A	N/A

* Must withstand a reasonable degree of spillage & damp shoes.

** Must withstand frequent spillages or wetting without damage, staining or absorption.

*** Must withstand regular spillages or wetting without damage, staining or absorption.

Type F7 - Safety Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F7	Wet Area	Ceramic, Resin, Rubber or Vinyl	Yes, see specific finishes in F7.3	Minimum SRV 36	No	No	N/A	Commercial 34	Safety Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F7.3h	Wet Area	Changing Rooms, Showers, Toilets, Hygiene Rooms	Yes	Yes	Yes	Yes	High	Barefoot areas shall be "Barefoot Slip Resistance Category B"	Tarasafe H:O	Tarasafe Ultra H:O	N/A	N/A

Type F8 - Safety Vinyl

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F8	Kitchen	Heat Resistant Ceramic, Resin, Rubber or Vinyl	R11	Minimum SRV 36	No	Yes	N/A	Commercial 34	Safety Vinyl			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F8.4h	Kitchen	Kitchen Preparation Area	Yes	Yes	No	Yes	High	N/A	Tarasafe Super	Tarasafe Ultra	N/A	N/A

* Must withstand a reasonable degree of spillage & damp shoes.

** Must withstand frequent spillages or wetting without damage, staining or absorption.

*** Must withstand regular spillages or wetting without damage, staining or absorption.

Type F9 - Barrier Matting

DFE FLOOR FINISH TYPES	DESCRIPTION	POSSIBLE MATERIALS	SLIP RESISTANCE (RAMP TEST OR R VALUE)	SLIP RESISTANCE & SURFACE ROUGHNESS (PTV VALUE)	ELECTROSTATIC RATING (BS EN 14041:2018)	HEAT RESISTANCE	AREA ELASTIC A3 SPORTS FLOOR (BS EN 14904:2006)	EUROPEAN FLOORING USE CLASSIFICATION (BS EN ISO 10874:2012)	GERFLOR PRODUCT OFFER			
Type F9	Entrance	Barrier Matting	No	No	No	No	N/A	Commercial 34	Barrier Matting			
DFE FLOOR FINISH TYPES	DESCRIPTION	AREA	WATER RESISTANCE 1*	WATER RESISTANCE 2**	WATER RESISTANCE 3***	CHEMICAL RESISTANCE	HYGIENE PERFORMANCE	SPECIFIC FINISH REQUIREMENTS (PART COVERING, COLOUR OR PATTERN)	PRODUCT 1	PRODUCT 2	PRODUCT 3	PRODUCT 4
Type F9.2	Entrance	Entrance Lobbies	Yes	Yes	No	No	Moderate	Barrier Matting	Esplanade 5000	Esplanade 6000	Boulevard 5000	Boulevard 6000

* Must withstand a reasonable degree of spillage & damp shoes.
 ** Must withstand frequent spillages or wetting without damage, staining or absorption.
 *** Must withstand regular spillages or wetting without damage, staining or absorption.

Type W1 / W2 / W3 / W4 / W5 / W6 - Wall Finishes

WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W1.1	Classrooms, general areas	Smooth	Normal	N/A	Gradus SureProtect Endure® Sheet (Slight Emboss) or Wall Guards
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W1.1h	PE spaces, drama studios, social areas	Smooth	Normal	Yes	Gradus SureProtect Endure® Sheet (Slight Emboss) , Wall Guards & Corner Guards
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W2.1h	Science labs, dining areas	Impervious + Smooth	Normal	Yes	Gradus SureProtect Endure® Sheet (Slight Emboss) & SureProtect Pure®
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W2.2h	Toilets, changing rooms, chemical stores	Impervious + Smooth	Humid	Yes	Gradus SureProtect Pure® Sheet (PVC-u, hygienic)
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W3.2	Kitchens, medical rooms	Impervious + Jointless + Smooth	Humid	N/A	Gradus SureProtect Pure® Sheet with welded joints. (Not Suitable for areas exposed to direct heat. Surfaces likely to reach or exceed 60°)
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W3.3	Showers	Impervious + Jointless + Smooth	Wet	N/A	Gradus SureProtect Pure® Sheet (sealed and water-resistant)
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W4.1	Workshops, plant rooms	Rough	Normal	N/A	Gradus Corner Guards (for exposed edges)
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W5.1h	Corridors, circulation areas	Flushpointed blockwork acceptable	Normal	Yes	Gradus Wall Guards & Corner Guards (high impact resistance)
WALL FINISH TYPE	AREA DESCRIPTION	FINISH REQUIREMENTS	HYGROTHERMAL PERFORMANCE	HEAVY DUTY	RECOMMENDED GRADUS PRODUCT(S)
W6.1h	Sports halls (up to 3.2m height)	Painted blockwork acceptable	Normal	N/A	Gradus Corner Guards (flush-fitting, non-projecting) SureProtect Endure

Latour² - Carpet Tile



Product description

Latour² carpet tiles feature two designs; plains and stripes, which can be used alone or together to create a coordinated floor scheme. Latour² is suitable for heavy commercial environments and contains 66% recycled content.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Lunar - Carpet Tile



Product description

Lunar is a tufted loop pile carpet tile. Inspired by the lunar landscape the design is available in a choice of eight colourways to help create a stylish and modern environment. Lunar is suitable for use in a wide range of applications including commercial office and education.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor[®]

GRADUS

Taralay Impression - Heterogeneous Flooring



Product description

Taralay Impression Compact is a unique, multi-layered vinyl sheet designed for heavy commercial environments. Available in a wide choice of wood, mineral, plain and graphic designs, it is treated with ProtecSol² surface treatment, for easy cleaning and maintenance. Also available as HOP for looselay installation.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information - Woods](#)
- [Link to NBS information - Minerals/Cement/Metal](#)
- [Link to NBS information - Plains/Patterns](#)

Tarasafe Standard - Safety Flooring



Product description

Tarasafe Standard now comes with SparClean® surface treatment and is reinforced with a glass fibre grid and is suitable for use in all areas of heavy traffic where slip-resistance, durability and hygienic conditions are required. It is also treated with an anti-bacterial and fungicidal treatment. This product comes with a 12-year warranty and is 100% recyclable, when the product is at the end of its' life. Contains 29% recycled content.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Taralay Premium - Heterogeneous Flooring



Product description

Taralay Premium Compact is a multi-layered sheet vinyl flooring collection for hardworking contract interiors. Available in over 80 colours it provides excellent resistance to static and dynamic loads. With quick indentation recovery (0.02mm) and superb dimensional stability, there is minimal rucking when heavy objects are wheeled across the surface. Taralay Premium contains 80% biocontent, mineral and recycled material.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information - Brazilia / Osmoz](#)
- [Link to NBS information - Indiana / Neopolia](#)
- [Link to NBS information - Poesy / Metallica](#)
- [Link to NBS information - Neoterra / Cocoon](#)

Tarasafe Impression - Safety Flooring



Product description

Tarasafe Impression is a range of +36 and R11 slip resistant safety vinyl flooring that meets HSE guidelines and consists of Wood and Mineral designs. It is ideal for heavy commercial spaces that require slip resistance and outstanding performance. Treated with ProtecSol® Control surface treatment for easy cleaning and maintenance. Also available as HOP for loose lay installation.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Tarasafe Ultra - Safety Flooring



Product description

Tarasafe Ultra is a range of +36 PTV and R10 slip resistant sheet flooring that meets HSE guidelines. Tarasafe Ultra comes with SparClean® surface treatment for easy cleaning and maintenance and is suitable for use in all areas of heavy traffic. For additional hygiene it is also treated with an anti-bacterial and fungicidal treatment. Also available as HOP for loose lay installation.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor®

GRADUS

Tarasafe Ultra H₂O - Safety Flooring



Product description

Tarasafe Ultra H₂O is an enhanced, slip resistant, safety flooring for wet and dry, barefoot and shod applications +36 PTV and R11. It has a raised emboss and is designed for applications where there are continuous wet areas. Providing exceptional barefoot comfort, Tarasafe Ultra H₂O is an ideal solution for wet rooms, showers and changing rooms. It has a 12-year warranty and is 100% recyclable.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor[®]

GRADUS

Tarasafe H₂O - Safety Flooring



Product description

Tarasafe H₂O is a high performance, slip resistant, safety flooring for wet and dry, barefoot and shod applications +36 PTV and R11. Designed for applications where there are continuous wet areas, it features a non-studded surface and provides exceptional barefoot comfort for wet rooms, showers and changing rooms. It is also treated with an anti-bacterial and fungicidal SparClean® treatment for optimum hygiene, easy cleaning and maintenance. It contains 29% recycled content.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Tarasafe Super - Safety Flooring



Product description

Tarasafe Super is a +36 HSE-compliant, R12 slip-resistant safety flooring vinyl that provides a robust and aesthetically pleasing solution for kitchens. It is suitable for high-traffic and available in neutral colourways.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor[®]

GRADUS

Mipolam Affinity - Homogeneous Flooring




Product description

Mipolam Affinity is a high performing homogeneous vinyl sheet floor covering. Treated with Evercare™ surface treatment, it provides an unrivalled scuff and stain resistance and needs no waxing or polishing to maintain its appearance and colour brightness for years.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Mipolam EL5 - ESD Vinyl



Product description

Mipolam EL5 is a conductive flexible homogeneous vinyl floorcovering available in sheet form. It has permanent antistatic properties (< 20 V) and is treated with Evercare™ surface treatment which avoids staining and increases the durability of the flooring. This treatment has excellent maintenance characteristics; it requires no wax for life!

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Mipolam EL7 - ESD Vinyl



Product description

Mipolam EL7 is a flexible and permanent dissipative homogeneous vinyl floorcovering, available in both sheet and tile formats. Treated with Evercare™ surface treatment, it avoids stains for easy cleaning & maintenance.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor®

GRADUS

Mipolam Robust EL7 - ESD Vinyl



Product description

Mipolam Robust EL7 is a dissipative flexible homogeneous vinyl floorcovering available in sheet form. The 2 mm homogeneous material is a permanent dissipative flooring $10^6 < Rt < 10^9$ (EN 1081). The flooring is easy to clean and maintain and requires no wax for life.

For further information

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Subflex with Taraflex Surface - Sports Flooring



Product description

Subflex with Taraflex Surface combines a sports undercarriage system with Taraflex Surface Vinyl P1 sports floor to give excellent shock absorption. It's high-density surface is resistant to high impact, static and rolling loads and is ideal for both new build and renovation projects. Made with 81% bio-based mineral and recycled materials.

For further information


- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

[Back to Tables](#)

Gerflor[®]

GRADUS

Subflex with DLW Sports Lino - Sports Flooring



Product description

Ideal combination of DLW Sports Linoleum to a Subflex sports undercarriage system for high shock absorption and resistance to rolling sports.

Linodur Sports

- [Link to designs](#)
- [Link to Technical Data Sheet](#)

Marmorette Sport

- [Link to designs](#)
- [Link to Technical Data Sheet](#)

Colorette Sport

- [Link to designs](#)
- [Link to Technical Data Sheet](#)

Esplanade 5000 & 6000 - Primary Barrier Matting



Product description

Esplanade is a primary barrier matting system designed for heavy levels of foot and wheeled traffic. Made using ECONYL® solution dyed nylon wipers that offer high levels of dirt and moisture removal, helping to reduce slips and maintenance costs.

Esplanade 5000

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Esplanade 6000

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Boulevard 5000 & 6000 - Secondary Barrier Matting



Product description

Boulevard secondary barrier matting ranges are made from high performance ECONYL® yarn to provide excellent removal and retention of dirt and moisture from pedestrian and wheeled traffic. The ranges are designed to complement Esplanade primary barrier ranges.

Boulevard 5000

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Boulevard 6000

- [Link to designs](#)
- [Link to Technical Data Sheet](#)
- [Link to NBS information](#)

Accessories - Stair Edgings & Floor Trims



Product description

Gradus stair edgings incorporate PTV 36+ slip-resistant inserts that can help reduce accidents on stairs as well as for providing an inclusive environment for all building users to navigate safely. Offered in a choice of materials, designs and LRV values to accommodate most step shapes and a variety of gauges to suit most floorcoverings.

For further information

- [Link to web site](#)
- [Link to our Stair Edging & Floor Trims brochure](#)

SureProtect Endure - Wall Finishes



Product description

Protective wall cladding manufactured from impact resistant PVC-u that is through-coloured and slightly textured to conceal the effects of impact and abrasion. Available in 35 colours, it is easy to clean and provides a cost-effective way to reduce maintenance costs and maintain the appearance of a building.

For further information

- [Link to web site](#)
- [Link to our Wall Protection brochure](#)

SureProtect Pure - Wall Finishes



Product description

Hygienic wall cladding made from through-coloured, smooth PVC-u, making it perfect for areas where cleanliness is a priority. It's a superior alternative to ceramic tiles as it removes the need for grout, which can harbour bacteria. Available in 35 colours, it provides a seamless barrier against moisture and bacteria and offers excellent impact resistance.

For further information

- [Link to web site](#)
- [Link to our Wall Protection brochure](#)

[Back to Tables](#)

Gerflor[®]

GRADUS

Wall Guards - Wall Finishes



Product description

Modular wall guards that consist of an aluminium or PVC-u retainer, a snap-on PVC-u cover, and complementary PVC-u accessories.

The replaceable covers are through-coloured and textured to mask the effects of impact damage and abrasion. Available in a wide array of colours, these wall guards offer robust protection against impact from both pedestrian and wheeled traffic.

For further information

- [Link to web site](#)
- [Link to our Wall Protection brochure](#)

Corner Guards - Wall Finishes



Product description

PVC-u corner guards that are available in various styles and heights to meet any protection requirement for vulnerable corners. They are ideal for reducing maintenance costs and preserving interior appearances. Gradus offers a range of corner guard options, including standard, high-impact, adjustable and clear versions.

For further information

- [Link to web site](#)
- [Link to our Wall Protection brochure](#)

LED Lighting Systems - Step, Aisle, Wall & Ambient Lighting



Product description

Gradus LED Lighting Profiles include step lighting, aisle, wall and ambient lighting.

LED Step Profiles help aid safe navigation in low-lit spaces whereas Architectural LED Profiles help create the ideal ambience that can be changed at the touch of a button.

For further information

- [LED Step Lighting](#)
- [Link to Architectural LED Lighting](#)