

Housing

Specification Guide to Floors & Walls

Social, Private, Rental & New-Build Housing

gerflor.co.uk
gerflor.ie
gradus.com



Gerflor[®]

GRADUS



**A NEW LEVEL
OF INNOVATION,
QUALITY, SERVICE
& TEAMWORK**



**NEXT DAY SERVICE
PRODUCT EXPERTISE
WARRANTY
SUSTAINABILITY**



**FLOOR COVERING
STAIR EDGINGS
FLOOR TRIMS
MATTING
WALL PROTECTION
LIGHTING**

Contents

Gerflor | Gradus

The Housing Specialists	4
Gerflor Gradus - Services	6
Benefits for our customers	8
GFT Benefits	9
Complete Housing Solutions Map	10
Product Matrix	12

Housing Collections

Taralay Libertex	14
Griptex	16
Texline	18
Loftex	20
Nerok 70	22
Creation 40 & 55 Zen	24
Creation 30, 40 & 55	26
Tarasafe Impression	28
Tarasafe Ultra	30
Tarasafe Standard	32
Tarasafe H ₂ O	34
Tarasafe Ultra H ₂ O	36
Mural Revela	38
Carezone	40
Latour 2	42
Powershock 80	44
Taraflex Evolution + Evolution SL	45
Esplanade 1500	46
Mat-in-a-Box 6000 & 5000	48
Mat-in-a-Box 1550	50
Boulevard 6000 & 5000	52
Boulevard 1500	53
XT Stair Edgings	54

Additional Information

Case Studies	56
Innovation, Service & Design	57
Our Commitments for a Sustainable Future	58

View our full colour range



The colour options shown within this brochure are just a small selection, full colour ranges are available on our websites: gerflor.co.uk and gradus.com

Disclaimers

Due to printing limitations there may be variations between the colours of the actual flooring and images shown in this document. The technical information contained in this brochure is subject to change at any time due to products being subject to continuous improvement processes. Please check latest technical information on our websites www.gerflor.co.uk & www.gradus.com or with a sales advisor prior to ordering.

Gerflor & Gradus – The Housing Specialists

With over 100 years combined experience, Gerflor & Gradus have forged an unrivalled reputation for quality, design and service. We extend our expertise to the housing sector, offering a complete range of flooring and interior solutions for Social, Private, Rental & New-Build Housing.

Gerflor specialises in resilient floor and wall solutions that are developed to meet the specific needs of the housing sector through technical performance and design choices. Our products provide the durability, acoustic performance and reliability required and are designed to last as long as possible to help preserve the Earth's resources.

Gradus is a UK manufacturer of contract interior solutions including barrier matting, stair edgings, floor trims, wall protection and LED lighting. Our products are designed in-house to provide high quality, long-lasting products that balance safety and aesthetics. Our long-standing commitment to the environment is integrated into the action plans of all aspects at Gradus.

Explore our full range of floorcoverings, wall coverings and flooring accessories designed for every area of a housing project.



Key considerations required to deliver a successful housing project...



Design Choice

Offering a wide range of design driven products for all areas of homes that are perfect for creating an inspiring, relaxing and unique space. Choose from a large range of premium designs, colours and finishes across all Gerflor & Gradus products.



Acoustics

Footsteps, dropped objects, and moving chairs can transmit noise to rooms below, while talking and walking create disruptive reverberation. Gerflor floorcoverings reduce impact sound and enhance sound absorption, helping to create a quieter, more peaceful home environment.



Warm, Safe & Comfortable

Designed to be warm, safe and comfortable underfoot, Gerflor floorcoverings suit everyday living across all housing spaces. Selected ranges offer a patented textile backing for added warmth and softness, with slip-resistant options ideal for barefoot, wet-area use.



Durability & Cleanability

Busy homes need robust, easy-to-clean flooring and accessories. Gerflor & Gradus products use high-quality, durable materials, while Gerflor's patented surface treatments support easier cleaning, simplified maintenance and long-term performance in demanding settings.



Easy Installation

Looselay flooring offers a faster, more convenient installation than bonded floorcoverings, minimising downtime and disruption. It can often be laid over existing hard floors, with selected options suitable for damp subfloors. Once installed, it's immediately walkable, allowing homes to resume normal use.



Sustainability

Gerflor & Gradus provide environmentally friendly flooring, wall covering and accessory solutions incorporating recycled materials. Long-lasting, low-maintenance and recyclable at end of life, these products and wider sustainability initiatives help support the UK's transition toward a net-zero future.



Free Trial Areas

Gerflor offers free trial areas so housing associations, developers and local authorities can experience the quality, durability and aesthetic appeal of their floor and wall coverings. These trials showcase residential ranges for new-build and refurbishment projects, enabling stakeholders to assess real-world performance.

Gerflor & Gradus Services

TOOLBOX TALKS

Technical and Specification Support Specialists

Our dedicated housing specialists can assist you with all your specification needs. Whether it's a refurbishment project or new build, we have the expertise and innovations to create your ideal interior scheme. We work together to propose the optimum solution for the clients' needs, utilising the most appropriate safe, durable and sustainable solutions for the specific applications. We don't stop at just providing specification advice, we can also provide a free site survey where we will visit, assess and audit the facility and make suggestions on improvements to future proof the building interiors.



The Technical Support team is available to offer advice on the specification and installation of products, including guidance surrounding the latest building standards and legislation. Rest assured that Gerflor & Gradus have a world-class pedigree of products that are tried and trusted to deliver every time. All backed up by a network of technical, specification and customer support teams.



Quick Delivery

All designs featuring the above icon are available for fast delivery from Gerflor to our stockist. To view our Gerflor UK stocked references - [click here](#). Full rolls/packs only. Deliveries to Ireland & the ROI are subject to additional lead times. Contact your local stockist for more information. For details of your local stockist call 01625 428922.

Sampling Support Services

We offer a free sample service for all our clients from product overview binders, loose samples to supporting literature. For something bespoke like mood boards or test material, contact us and we will aim to supply the sample for your required need. To request a sample, literature, or anything else call 01625 428922 or email contractuk@gerflor.com or imail@gradus.com.

Local stock

We stock our best-selling product ranges locally in the UK. Our warehousing and distribution facilities in Winsford and Macclesfield offer a broad range of in-depth stock to provide an enhanced service level. Essential when time is of the essence and our customers need innovative products and fast delivery for essential quick turnaround projects. Speak to our housing specialists for stock availability or further information.



Specification Documents and BIM Objects

NBS provides access to a single source of product information and BIM objects for Gerflor & Gradus products. NBS Source provides an additional level of enhanced product data in a consistent, structured format that will integrate seamlessly into your project workflow.

Toolbox Talks

Our dedicated housing specification experts are here to assist you with everything you need to know about Gerflor and Gradus products. Whether you're looking to deepen your understanding of our solutions, explore best-practice installation techniques, or get tailored maintenance guidance, we offer bespoke Toolbox Talk sessions designed entirely around you and your team.


Created as a more relaxed, conversational alternative to traditional CPDs, our Toolbox Talks provide a flexible space for learning. Held at a time and date that suits you, these sessions allow attendees to drop in as they wish, perfect for discussing upcoming projects, exploring product options, or simply tapping into the experience of our knowledgeable housing specialists. It is practical, informative, and shaped to support real-world housing challenges.

To arrange your personalised Toolbox Talk session, contact our Technical Support team on 01625 428922, or email contractuk@gerflor.com or imail@gradus.com.




Accreditations and Certifications

Gerflor



Gradus



Benefits for our customers



Housing Associations & Local Authorities

- ✓ Decorative durable products that tenants appreciate
- ✓ Fast, low-cost installation to support efficient refurbishment
- ✓ Helps increase tenant satisfaction and reduce remedial work
- ✓ Meets HSE guidelines to support safe, compliant spaces

Build-to-Rent

- ✓ Wide choice of premium, design-led flooring options
- ✓ Easy to clean and maintain for everyday convenience
- ✓ Comfortable, quiet and slip-resistant underfoot
- ✓ Products made using recycled materials and VOC emissions that are below the recognised standard



Housebuilders

- ✓ Time-saving installation for stream-lined building programmes
- ✓ Looselay products can be fitted over many existing surfaces
- ✓ Cost-effective to meet all budgets
- ✓ Straightforward installation with no specialist tools required



GFT Benefits



Slip-resistance



Renovation Projects



Fast Installation



Cost Effective



Comfort Underfoot



Quiet Underfoot



Waterproof

GFT is a patented backing system from Gerflor, made from more than 95% recycled plastic bottles. It is also 100% recyclable and offered on Griptex, Texline & Loftex ranges.




1m² = 

Cost effective flooring

Revolutionary looselay technology that saves you time and money. Reduces the need for adhesives and minimal sub-floor preparation is required.



Recycled technical fibre backing made up of plastic bottles.



Complete Housing Solutions Map

A complete range of floor & wall solutions for all areas of housing.



Product Matrix

Category	Product Name	Format	Total Thickness	Wearlayer Thickness		Slip-Resistance	Acoustic Rating	Fire Rating	VOC Rating	Typical Use Areas	View Product Information
Quiet Comfort Range – Heterogeneous Acoustic Vinyl	Taralay Libertex	Sheet	3.65mm	0.70mm		R10	19dB Impact Sound Insulation <65dB Walk Noise	Class Cfl-s1	<100 µg/m3	Bathrooms, Living Rooms, Dining Rooms, Kitchens, Bedrooms, Communal	Click here
	Griptex	Sheet	2.90mm	0.35mm		R10 >36 PTV	16dB Impact Sound Insulation <65dB Walk Noise	Class Cfl-s1	<100 µg/m3	Bedrooms, Bathrooms, Kitchens, Living Rooms, Dining Rooms	Click here
	Texline	Sheet	2.90mm	0.35mm		R10	16dB Impact Sound Insulation <65dB Walk Noise	Class Cfl-s1	<100 µg/m3	Living Rooms, Bedrooms, Bathrooms, Kitchens, Dining Rooms	Click here
	Loftex	Sheet	2.50mm	0.30mm		R10	15dB Impact Sound Insulation <65dB Walk Noise	Class Cfl-s1	<100 µg/m3	Living Rooms, Bathrooms, Kitchens, Dining Rooms, Bedrooms	-
Hardwearing Range – Heterogeneous Compact Vinyl	Nerok 70	Sheet	2.00mm	0.70mm		R10	6dB Impact Sound Insulation	Class Bfl-s1	<100 µg/m3	Living Rooms, Communal, Dining Rooms	Click here
Design Range – Luxury Vinyl Tiles & Planks	Creation 40 & 55 Zen	Tiles & Planks	3.60mm, 4.25mm	0.40mm, 0.63mm		R10	20dB Impact Sound Insulation <65dB Walk Noise	Class Bfl-s1	<10 µg/m3	Kitchens, Communal, Dining Rooms, Living Rooms, Bedrooms	Click here
	Creation 30, 40 & 55	Tiles & Planks	2.00mm-6.00mm	0.30mm, 0.40mm, 0.55mm		R10	4dB-19dB Impact Sound Insulation <77dB Walk Noise	Class Bfl-s1	<10 µg/m3	Bedrooms, Living Rooms, Communal, Dining Rooms, Kitchens	Click here
Performance Range – Safety Vinyl	Tarasafe Impression	Sheet	2.00mm	0.70mm		R11 >36 PTV	8dB Impact Sound Insulation	Class Bfl-s1	<70 µg/m3	Communal, Kitchens, Bathrooms	Click here
	Tarasafe Ultra	Sheet	2.00mm	0.85mm		R10 >36 PTV	6dB Impact Sound Insulation	Class Bfl-s1	<100 µg/m3	Communal	Click here
	Tarasafe Standard	Sheet	2.00mm	0.85mm		R10 >36 PTV	6dB Impact Sound Insulation	Class Bfl-s1	<100 µg/m3	Bathrooms, Kitchens	Click here
	Tarasafe H ₂ O	Sheet	2.00mm	0.85mm		R11 >50 PTV	-	Class Bfl-s1	<100 µg/m3	Wetrooms, Bathrooms	Click here
	Tarasafe Ultra H ₂ O	Sheet	2.00mm	1.00mm		R11 >36 PTV	-	Class Cfl-s1	<100 µg/m3	Wetrooms, Bathrooms	Click here
Bathroom Range – Wall Tiles & Panels	Mural Revela	Tiles & Panels	5mm	-		-	-	Class D-s3,d0	<100 µg/m3	Bathrooms, Wetrooms, Kitchen Splashbacks*	Click here
Carpet Range – Carpet Tiles & Rolls	Carezone	Sheet	8.5mm (Loop) 10mm (Cut)	-		-	31dB Impact Sound Insulation	Class Efl	-	Bedrooms, Living Rooms, Communal	Click here
	Latour 2	Tiles	5.5mm	-		-	22dB Impact Sound Insulation	Class Bfl-s1	-	Communal	Click here
Fitness Range – Gym Flooring	Powershock 80	Tiles	8mm	-		80-110 Unit EN 13036-4	13dB Impact Sound Insulation	Class Bfl-s1	A+	Gyms	Click here
	Taraflex Evolution + Evolution SL	Sheet	7.5mm	-		-	-	Class Cfl-s1	<100 µg/m3	Fitness Studio	Click here
Entrance Matting Range – Primary Barrier Matting	Esplanade 1500	Made to Order	12mm, 16.5mm	-		Low Risk of Slip - HSL Ramp Test	-	Class Efl	-	Communal Entrances	Click here
Entrance Matting Range – Hybrid Barrier Matting	Mat-in-a-Box 6000 & 5000	Lengths	12mm, 18mm	-		Low Risk of Slip - HSL Ramp Test	-	Class Cfl-s1	-	Communal Entrances	Click here
	Mat-in-a-Box 1550	Lengths	12mm	-		Low Risk of Slip - HSL Ramp Test	-	Class Efl-S1	-	Communal Entrances	Click here
Entrance Matting Range – Secondary Barrier Carpet	Boulevard 6000 & 5000	Tile & Sheet	8mm Tile 7mm Sheet	-		-	-	Class Bfl-s1 Tile Class Cfl-s1 Sheet	-	Communal Entrances	Click here
	Boulevard 1500	Sheet	10mm Sheet	-		-	-	Class Efl-s1	-	Communal Entrances	Click here
Compliance Range – Stair Edgings	XT Stair Edging	Lengths	0-15mm	-		>36 PTV	-	-	-	Stairwells	Click here

*Not suitable behind ovens or cookers

Areas:

Bathrooms, Living Rooms, Dining Rooms, Kitchens, Bedrooms & Communal

Taralay Libertex combines contemporary design with exceptional durability and 19dB acoustic comfort. Its MAX3 backing technology ensures fast, loose-lay installation (affixed with tape) while stain resistance and full recyclability create a premium, long-lasting flooring solution throughout the home.



For more information or to see the full range visit www.gerflor.co.uk



2219 Rough Chocolate



0636 Esterel Blond



2226 Cordoba Black & White & 2346 Azay Cream

Taralay Libertex Multilayered Flooring



Easy Maintenance

20 DESIGNS

Design Options



19 dB
Sound Insulation



No Glue



Fast Installation
Time Saving




Easily Removable



Heavy Traffic Resistance

Wood



2346 Azay Cream
Y: 37.9




2413 Cottage Blond
Y: 28.4




2426 Cottage Brown
Y: 21.1



2415 Cottage Clear
Y: 36.1



0636 Esterel Blond
Y: 32.6



0828 Habana Beige
Y: 35.8



0797 Habana Ivory
Y: 52.7




0720 Pure Oak Clear
Y: 41.2



1751 Pure Oak Grey
Y: 33.5



1442 Valencay Pecan
Y: 24.2



0368 Valencay Blond
Y: 21.2




0179 Valencay Patine
Y: 36.2

Mineral



2459 Chicago Haze
Y: 47.5



2284 Chicago Storm
Y: 34.1



2219 Rough Chocolate
Y: 19



2218 Rough Taupe
Y: 19.4



2226 Cordoba Black & White
Y: 30.4



Textile Backing

ProtecSol®



100% Recyclable

Y = Light Reflectance Value (LRV)

T Wear Group

R10 Slip Resistant

19dB Quiet Underfoot Comfort

Areas:

Bedrooms, Bathrooms, Kitchens, Living Rooms & Dining Rooms

Griptex is a comfortable, slip-resistant acoustic vinyl featuring Gerflor's patented textile backing with up to 95% recycled plastic bottles. Available in modern wood and mineral designs that are ideal for any room, it offers fast-track looselay installation and a hygienic, water-resistant surface that is easy to clean and quiet underfoot.



For more information or to see the full range visit www.gerflor.co.uk



Griptex

Slip Resistant Vinyl Flooring



Easy Maintenance



20 DESIGN Options



Waterproof



HSE 36+ Slip Resistant



Comfort Underfoot



Looselay* "no glue up to 35m²"



Fast Installation Time Saving

Wood



2256 Opera Medium
Y: 25.7



2260 Empire Dark Brown
Y: 11.9




2258 Hudson Grey
Y: 37.9



2266 Empire Grey
Y: 13.2




2262 Lux Brown
Y: 19.5



2263 Savannah Sand
Y: 44.4




2265 Savannah Clear
Y: 39.1



1104 Cajou Nut
Y: 23.6




1237 Cajou Sun
Y: 21.1



0405 Chene Medium
Y: 28.2


Mineral




2257 Shade Light
Y: 55.3




2259 Shade Medium Grey
Y: 25.9



2261 Shade Dark Grey
Y: 11.2



1205 Oxyd Anthracite
Y: 11.5




0836 Verone Grey
Y: 11.5




1284 Verone Light Grey
Y: 28.4



0447 Cassiopee Grass
Y: 36.6



0496 Ardoise Black
Y: 11.0



0873 Offset Beige
Y: 33.0



Comfort

Pureclean GripX

T Wear Group

HSE 36+ Slip Resistant

R10 Slip Resistant

16dB Quiet Underfoot



Stocked for quick delivery see [page 6](#)

Areas:

Living Rooms, Bedrooms, Bathrooms, Kitchens & Dining Rooms

Texline is a tough vinyl floorcovering featuring Gerflor Fibre Technology (GFT) using up to 95% recycled plastic bottles, delivering warmth underfoot and acoustic benefits. Available in stunning wood and mineral designs, its fast-fit looselay installation supports reuse or recycling. It is slip-resistant, waterproof, easy to clean and quiet underfoot.



For more information or to see the full range visit www.gerflor.co.uk



2401 Patina Cream



2307 Azay Gold



2014 Sherwood Dark

Texline

Slip Resistant Vinyl Flooring



Easy Maintenance



15 Design Options



Easy to Install



Waterproof



Comfort Underfoot




Looselay*
*no glue up to 35m²




Fast Installation
Time Saving

Wood



2307 Azay Gold
Y: 25.3




2309 Azay Beige
Y: 36.7




2013 Sherwood Blond
Y: 34.1



2017 Sherwood Grey
Y: 22.3



2014 Sherwood Dark
Y: 12.5



2308 Azay Light Grey
Y: 48.0



1749 Timber Light
Y: 33.7




1740 Timber Naturel
Y: 30.9


Mineral




2400 Patina Charcoal
Y: 14.6



2401 Patina Cream
Y: 49.2



2399 Fjord Cream
Y: 47.1



1949 Fjord Light Grey
Y: 24.4



2011 Fjord Black
Y: 13.4



1955 Provence Creme
Y: 53.1



1981 Provence Black & White
Y: 41.3



Comfort

Pureclean

T Wear Group

R10 Slip Resistant

16dB Quiet Underfoot



Stocked for quick delivery see [page 6](#)

Areas:

Living Rooms, Bathrooms, Kitchens, Dining Rooms & Bedrooms

Loftex is a high-quality vinyl floorcovering featuring a unique GFT textile backing that provides warmth and comfort underfoot. Offering 15dB acoustic benefits, its adhesive-free installation allows for a fast fit while stylish wood and mineral designs offer versatile aesthetics for housing spaces.



Loftex

Slip Resistant Vinyl Flooring



Wood



2289 Canopy Hazelnut
Y: 18.9



2168 Boutic Medium
Y: 24.4



2169 Boutic Light Grey
Y: 34.5



2170 Boutic Clear
Y: 53.3




2290 Canopy Sesame
Y: 26.0




Mineral




2132 Leone Metal
Y: 29.0




2135 Leone Cream
Y: 51.0



2294 Leone Uranus
Y: 41.9



2163 Nevada Cream
Y: 55.7



2164 Nevada Light Grey
Y: 44.8



Pureclean+

T Wear Group

R10 Slip Resistant

15dB Quiet Underfoot

Areas:

Living Rooms, Communal & Dining Rooms

Nerok 70 is a durable vinyl floorcovering with a PUR+ matt surface treatment for easy cleaning, scuff resistance and long-lasting colour vibrancy. Its realistic wood and concrete designs are finished with an exclusive emboss for a natural look. It offers strong indentation resistance, making it a flexible solution for hardworking spaces.



For more information or to see the full range visit www.gerflor.co.uk



2015 Sherwood Brown



2152 Shade Grey



0720 Timber Clear

Nerok 70

Multilayered Vinyl Flooring



Easy Maintenance



16 Wood Options



20 Mineral Options



Indentation Resistance




Ultra Realistic




Heavy Traffic Resistance


Wood




2015 Sherwood Brown
Y: 18.7




2012 Sherwood Clear
Y: 38.1




2244 Newport Clear
Y: 43.0



1518 Factory White
Y: 46.2




1451 Noma Kola
Y: 46.6




2013 Sherwood Blond
Y: 34.1




2017 Sherwood Grey
Y: 22.3



0669 Chene Light
Y: 39.1



0720 Timber Clear
Y: 41.2



0492 Timber Cabana
Y: 25.4

Mineral



2151 Shade Light Grey
Y: 39.0




2152 Shade Grey
Y: 26.0




2153 Shade Anthracite
Y: 12.0




2131 Leone Mouse
Y: 36.1




2132 Leone Metal
Y: 29.0




2133 Leone Anthracite
Y: 12.3




2135 Leone Cream
Y: 51.0



2134 Leone Brown
Y: 13.4



2253 Brooklyn Silver
Y: 30.5



2249 Brooklyn Blue
Y: 23.7

0.7mm Wear Layer

T Wear Group

R10 Slip Resistant

Stocked for quick delivery see [page 6](#)



PUR+ Matt



100% Recyclable

Y = Light Reflectance Value (LRV)

Areas:

Kitchens, Communal, Dining Rooms, Living Rooms & Bedrooms

Creation Zen is an acoustic flexible Luxury Vinyl Tile & Plank range offering 20dB sound insulation in a fully adhesive-free looselay format. Its ProtecShield finish provides a matt, scratch-resistant surface that is easy to maintain. With modern wood, mineral and textile designs plus bevelled edges, it is lightweight, flexible and simple to install. Ideal for residential, light traffic spaces and busy communal spaces.



For more information or to see the full range visit www.gerflor.co.uk



1415 Bostonian Oak



1481 Nature Oak Taupe



1063 Finesse Brown

Creation 40 & 55 Zen Luxury Vinyl Tiles & Planks (LVT)



Easy Maintenance



Easy to Install



Easy to Cut



Acoustic



Looselay



100% Recyclable


Wood




1415 Bostonian Oak
Y: 26.2




1422 Bostonian Oak Medium
Y: 15.6



1418 Swiss Oak Beige
Y: 44.1



1481 Nature Oak Taupe
Y: 20.7



1480 Nature Oak Honey
Y: 19.5




1416 Bostonian Oak Beige
Y: 31.9




0773 Ranch
Y: 25.3



1419 Swiss Oak Golden
Y: 25.8



1479 Nature Oak Kraft
Y: 32.5



1417 Twist
Y: 44


Mineral



1482 Bloom Uni Clear
Y: 45.1



0963 Bloom Uni Perle
Y: 43



1412 Bloom Uni Taupe
Y: 28.5



1414 Parker Station
Y: 17.1



0817 Cocoon Metal
Y: 34.7

Textile



1063 Finesse Brown
Y: 36



1064 Finesse Nature
Y: 37.6



1489 Finesse Grey
Y: 29.5



1488 Finesse Denim
Y: 19.7



1066 Finesse Poudre
Y: 40.5

0.4mm Wear Layer

0.63mm Wear Layer

ProtecShield™ T Wear Group

R10 Slip Resistant

20dB Quiet Underfoot

Y = Light Reflectance Value (LRV)

Areas:

Bedrooms, Living Rooms, Communal, Dining Rooms & Kitchens

The Creation collection offers versatile Luxury Vinyl Tiles and Planks in Dryback, Clic and Clic Acoustic formats, all protected by a ProtecShield surface treatment for an ultra-matt, scratch-resistant finish that's easy to maintain. With authentic embossing, bevelled edges and realistic wood and mineral designs, it provides a stylish flooring solution for residential and light traffic spaces.



For more information or to see the full range visit www.gerflor.co.uk



1597 Quartet Dark Brown



1604 Curton Stone Taupe



1751 Versailles Blond

Creation 30, 40 & 55

Luxury Vinyl Tiles & Planks (LVT)



Easy Maintenance



Easy to Cut



Comfort Underfoot



Ultra Realistic



Mix & Match




100% Recyclable

Wood



1272 Lounge Oak Beige Y: 33.9
DB 30, 40 & 55 | CLIC 40 & 55 | CLIC AC 40 & 55



0850 Cedar Brown Y: 21.3
DB 30, 40 & 55 | CLIC 40 & 55 | CLIC AC 40 & 55



1598 Tamo Cream Y: 44
DB 30, 40 & 55 | CLIC AC 40 & 55



1597 Quartet Dark Brown Y: 11.8
DB 30, 40 & 55 | CLIC 40 & 55 | CLIC AC 40 & 55



0851 Bostonian Oak Honey Y: 29.8
DB 30, 40 & 55 | CLIC AC 40 & 55



0584 White Lime Y: 36.0
DB 30, 40 & 55 | CLIC 40 & 55 | CLIC AC 40 & 55



1704 Aquinoah Blond Y: 34.2
DB 55




1706 Aquinoah Honey Y: 22.7
DB 55


Mineral




1751 Versailles Blond
DB 55
Y: 35.0



1604 Curton Stone Taupe
DB 30, 40 & 55
CLIC 40 & 55
CLIC AC 40 & 55
Y: 34.4



1603 Curton Stone Clear
DB 30, 40, 55 & 70
CLIC 40, 55 & 70
CLIC AC 40 & 55
Y: 53.1



1602 Bloom Uni Pearl
DB 30, 40 & 55
CLIC 55
CLIC AC 40 & 55
Y: 26.9



1747 Luna Amber
DB 55
Y: 46.4

ProtecShield™

T Wear Group

R10 Slip Resistant

Y = Light Reflectance Value (LRV)

Creation 55 dryback stocked for quick delivery see [page 6](#)

DB
Creation Dryback

CLIC
Creation Clic

CLIC AC
Creation Clic Acoustic



EIR = Emboss In Register
Synchronized graining with the decor for hyper-realistic rendering

Areas: Communal, Kitchens & Bathrooms

Tarasafe Impression brings durable, hygienic, slip-resistant flooring to kitchens and bathrooms. With R11 and HSE 36+ PTV slip-resistance and easy-clean ProtecSol Control surface treatment, it delivers safety and style. Its wood and mineral designs offer a robust, low-maintenance solution for outstanding performance.



For more information or to see the full range visit www.gerflor.co.uk



1070 Habana 3D Vinales

Tarasafe Impression Contract Safety Flooring



Easy Maintenance



Slip-resistance



Hygienic



Durable




Heavy Traffic Resistance

Wood




1110 Rivau Nature
Y: 25.5



0373 Noma Ice
Y: 52.0




0519 Noma Beige
Y: 30.2



0672 Loft White
Y: 44.8




0371 Noma Rustic
Y: 24.3




0520 Noma Black
Y: 11.3




0723 Charme Pecan
Y: 22.3




0592 Ottawa Poplar
Y: 28.1




1713 Esterel Frejus
Y: 15.9



1070 Habana 3D Vinales
Y: 38.5




1069 Habana 3D Trinidad
Y: 23.8




0518 Esterel Chocolate
Y: 16.3


Mineral




0680 Infinity Greige
Y: 33.1



0523 Genova
Y: 43.1



1028 Rough Beige
Y: 37.1



0038 Pierre
Y: 32.9



1029 Rough Grey
Y: 31.6

T Wear Group

HSE 36+ Slip Resistant

R11 Slip Resistant

20 Roughness
RTM / RZ



ProtectSol®
Control



100%
Recyclable



Stocked for quick
delivery see [page 6](#)

Y = Light Reflectance
Value (LRV)

Areas:

Communal

Tarasafe Ultra is a tough, hygienic, and slip-resistant safety flooring that is ideal for busy communal areas. Its mineral crystal technology, R10 & HSE 36+ PTV slip-resistance and SparClean surface treatment deliver long-lasting durability and easy maintenance.




For more information or to see the full range visit www.gerflor.co.uk



Tarasafe Ultra - 7792 Galena

Tarasafe Ultra

Contract Safety Flooring



T Wear Group | HSE 36+ Slip Resistant | R10 Slip Resistant | 20 Roughness RTM / RZ | Y = Light Reflectance Value (LRV)

Compact | SparClean® | Stocked for quick delivery see [page 6](#) | *Available in Tarasafe Ultra hop

Areas:

Kitchens & Bathrooms

Tarasafe Standard delivers reliable, slip-resistant protection for kitchens and bathrooms, combining durability and hygiene for busy homes. Its mineral crystal finish and SparClean surface treatment ensure long-lasting performance and easy maintenance. With built-in anti-bacterial protection, it's a robust choice.



For more information or to see the full range visit www.gerflor.co.uk



7386 Savana

Tarasafe Standard Contract Safety Flooring



Easy Maintenance



Slip-resistance



Easy to Cut




Hygienic




Durable




Heavy Traffic Resistance




6245 Atoll
Y: 41.1




7731 Marbre
Y: 51.2




7315 Jute
Y: 30.8




7618 Edelweiss
Y: 57.9




6589 Leaf
Y: 25.0




2430 Rain Drop
Y: 32.5




7767 Dove Grey
Y: 34.1



6084 Badian
Y: 20.9




7386 Savana
Y: 44.3




8102 Paprika
Y: 21.9




7709 Royal Blue
Y: 15.3



7773 Storm
Y: 21.3



6085 Grizzly
Y: 19.2



7801 Noir
Y: 5.7

T Wear Group | HSE 36+ Slip Resistant | R10 Slip Resistant | 20 Roughness RTM/RZ



Compact

SparClean®



Stocked for quick delivery see [page 6](#)

Y = Light Reflectance Value (LRV)

Areas: Wetrooms & Bathrooms

Tarasafe H₂O delivers non-studded, high-performance slip-resistance for bathrooms and wetrooms, ensuring safety in both wet and dry conditions. Its barefoot-friendly design, SparClean surface treatment and easy maintenance make it ideal for daily use. Available in a palette of soft colours.



For more information or to see the full range visit www.gerflor.co.uk



Tarasafe H₂O Shower Flooring



Easy Maintenance



Ideal Solution Wet Rooms



Easy to Cut




Hygienic




Durable




Heavy Traffic Resistance




0033 Rhine
Y: 29.7




0024 Peyto
Y: 43.7



0025 Nile
Y: 43.4




0031 Eacham
Y: 34.3




0034 Zambezi
Y: 19.9



0032 Malawi
Y: 40.1



0035 Bacalar
Y: 32.5



0036 Lagoa
Y: 31.1

HSE 50+ Slip Resistant

R11 Slip Resistant

20 Roughness
RTM / RZ

Shod Use

Barefoot Use



Compact

SparClean®



Stocked for quick delivery see [page 6](#)

Y = Light Reflectance Value (LRV)

Areas: Wetrooms & Bathrooms

Tarasafe Ultra H₂O combines raised emboss slip-resistance with exceptional barefoot comfort, making ideal for bathrooms and wetrooms. Designed for continuous wet areas, this high-performance safety flooring delivers reliable grip in wet or dry conditions. Its durable construction ensures long-lasting protection for busy, modern homes.



For more information or to see the full range visit www.gerflor.co.uk



7720 Iceberg

Tarasafe Ultra H₂O Shower Flooring



Easy Maintenance



Ideal Solution Wet Rooms



Easy to Cut




Hygienic




Durable




Heavy Traffic Resistance




7720 Iceberg
Y: 60.6




7413 Ocean Blue
Y: 31.8



7746 Stone
Y: 23.6



7732 Gravel
Y: 9.7



7325 Seashore
Y: 63

P Wear Group

HSE 36+ Slip Resistant

R11 Slip Resistant

20 Roughness
RTM / RZ

Shod Use

Barefoot Use



Compact



100% Recyclable



Stocked for quick delivery see [page 6](#)

Y = Light Reflectance Value (LRV)

Areas:

Bathrooms, Wetrooms & Kitchen Splashbacks*

Mural Revela is a 5mm fast-track wall covering for bathrooms, wetrooms and kitchens, installing directly over tiles. Durable and warm to the touch, it offers realistic stone, cement and mineral looks with waterproof tongue-and-groove joints. Select designs pair seamlessly with Creation 55 LVT flooring.



For more information or to see the full range visit www.gerflor.co.uk

*Not suitable behind ovens or cookers



Mural Revela 7035 Corabia with Creation 55 1607 Cedar Natural



7052 Colima

Mural Revela

Wall Coverings - Shower Solutions

3
Different Size Options

Ideal Solution Wet Rooms


Waterproof

Gloss Effect Options

Warm & Comfortable

Easy to Install

Tongue & Groove



D-s3,d0 Fire Classification

Panel & Tile

Watertight

100% Recyclable

65cm x 37.5cm tiles stocked for quick delivery see [page 6](#)

Y = Light Reflectance Value (LRV)

▷ = Selected colours available in XXL panels

Areas:

Bedrooms, Living Rooms & Communal

Carezone carpet brings modern, neutral design and lasting comfort to living rooms and bedrooms. Available in both textured loop or cut pile, it offers a warm, welcoming aesthetic with durable performance thanks to the BI-OME anti-microbial treatment – making it an ideal choice for homes.



For more information or to see the full range visit www.gerflor.co.uk



Cut Pile - 07101 Warm Stone

Carezone

Impervious Carpet



2m & 4m Widths



Anti-microbial



32 dB Sound Insulation

100%

Polypropylene




Durable




Quiet Underfoot

Textured Loop - for Communal Areas




Warm Stone
Textured Loop 07115
Y: 18.75



Soft Taupe
Textured Loop 07116
Y: 16.04



Natural Truffle
Textured Loop 07117
Y: 9.96



Silver Sky
Textured Loop 07119
Y: 14.20



Rich Granite
Textured Loop 07118
Y: 4.75

Cut Pile - for Bedrooms & Living Rooms



Warm Stone
Cut Pile 07101
Y: 22.40



Warm Sandstone
Cut Pile 07121
Y: 23.00




Natural Hessian
Cut Pile 07109
Y: 16.02




Soft Taupe
Cut Pile 07102
Y: 18.70



Natural Truffle
Cut Pile 07103
Y: 11.89



Silver Sky
Cut Pile 07113
Y: 11.06




Cool Slate
Cut Pile 07122
Y: 20.00




Autumn Leaves
Cut Pile 07106
Y: 10.45




Velvet Damson
Cut Pile 07108
Y: 4.04



Soft Topaz
Cut Pile 07123
Y: 11.94



Rich Granite
Cut Pile 07104
Y: 5.32



Forest Fern
Cut Pile 07124
Y: 4.95



Y = Light Reflectance Value (LRV)

BI-OME®

UK CA CE

Areas:

Communal

Latour² carpet tiles offer a soft but robust flooring solution for busy communal areas such as corridors and stairs. Offering excellent acoustic comfort, strong fire performance and durable construction with 75% recycled material in the backing. Latour² provides a cost-effective yet practical solution for high-traffic areas.




For more information or to see the full range visit www.gerflor.co.uk



Howden 01243


Latour²

Carpet Tile




Plains


Stripes



Glenavon 07143
Y: 6.07



Coniston 00243
Y: 6.51



Ravenstone 02243
Y: 16.37



Morden 00300
Y: 10.58



Glandford 05043
Y: 5.90




Wansdyke 00143
Y: 4.12




Langdale 01143
Y: 8.51



Stanage 00900
Y: 8.95



Howden 01243
Y: 12.55



Arfon 04043
Y: 8.52



Scafell 05143
Y: 7.30




Staffin 00400
Y: 7.36



Dovedale 06043
Y: 6.33




Cairngorm 04143
Y: 3.50




Stanton 08943
Y: 10.04



Alston 00500
Y: 8.17



Cheviot 01043
Y: 4.47



Torridon 09143
Y: 5.76



Broadloom
Plains



Quarter Turn
Plains
Stripes



Y = Light Reflectance Value (LRV)




Powershock 80

Gym Areas


Shock absorbent and sound-insulating, Powershock 80 is ideal for cardio zones and free-weights areas, delivering durability and comfort for high-impact gym environments.



For more information or to see the full range visit www.gerflor.co.uk



0002 Black
Y: 5.70



8 mm Thickness | Y = Light Reflectance Value (LRV)


Taraflex® Evolution + Evolution SL

Fitness Studios


P1 sports floor that combines comfort and safety with excellent indentation resistance. Ideal for a diverse range of activities, Taraflex Evolution is offered a range of wood and plain designs. Also available in a looselay format, called 'SL'.



For more information or to see the full range visit www.gerflor.co.uk




4345 Ecrú
Y: 52.7




6445 Lagoon
Y: 24.9




6379 Maple Desert
Y: 23.2




6350 Light Cherry
Y: 43.3




5742 Wood Oak
Y: 26.3




6553 Fern
Y: 20.9




6038 Terracotta
Y: 19.9



6830 Black
Y: 3.1



6873 Anthracite
Y: 20.5



6758 Silver Gray
Y: 32.6



4345 Ecrú

Protocolsol® | Dry-Tex™ System | Isosport | P1 | 7.5 mm Thickness | Stocked for quick delivery see [page 6](#)

Areas: Communal Entrances

Esplanade 1500 offers an effective, primary barrier matting solution for apartment lobbies and communal entrances, helping to reduce dirt and moisture before they reach interior floor finishes. Designed for medium levels of foot and wheeled traffic, it improves safety and cleanliness while lowering maintenance costs. Offered in a choice of gauges and constructions to suit surface-mounted or recessed installations.




For more information or to see the full range visit www.gradus.com




Esplanade 1500 with Tempesta wipers and Boulevard 1500 in Tempesta

Esplanade 1500 Primary Barrier Matting



Typical example:

- > Closed construction
- > 12mm aluminium base
- > Pvc wiper



Typical example:

- > Scraper construction
- > 16.5mm aluminium base
- > Boulevard 1500 Marinus wiper & black PVC-u scraper linking strip

Aluminium base options



Mill Finish
Exterior & interior applications

Pvc linking strips




Silver
Open construction mats




Black
Closed & scraper construction mats

Pvc wiper



Black
Exterior applications

Boulevard 1500 textile wiper options




Terra
Interior applications



Tempesta
Interior applications



Marinus
Interior applications




Calculus
Interior applications

Areas: Communal Entrances

Mat-in-a-Box 6000 & 5000 provide a quick-install hybrid barrier matting solution with a modular, easy clip-together system. Designed for medium levels of foot and wheeled traffic, it offers high levels of dirt & moisture removal, helping to protect interior floors, reduce slips and cleaning costs. Ideal for apartment lobbies and communal entrances.



For more information or to see the full range visit www.gradus.com



Mat-in-a-Box 6000 & 5000 with Boulevard 6000 in Shadow

Mat-in-a-Box® 6000 & 5000 Hybrid Barrier Matting



Medium Traffic Resistance



Medium Wheeled Resistance



High Moisture & Dirt Retention




HSL Ramp Test - Low Risk of Slip



100% Regenerated SDN Wiper



Fast Installation Time Saving



Typical example:

- > Closed construction
- > 12mm black PVC-u base
- > Boulevard 5000 Kingfisher wiper



Typical example:

- > Closed construction
- > 18mm Grey PVC-u base
- > Boulevard 6000 Shadow wiper

PVC-u base options



Black
Interior applications



Glacier (grey)
Interior applications


Boulevard 6000 textile wiper options




Shadow
Interior applications



Copper
Interior applications



Spruce
Interior applications




Galaxy
Interior applications


Boulevard 5000 textile wiper options




Kingfisher
Interior applications



Cuckoo
Interior applications



Moorhen
Interior applications



Jackdaw
Interior applications

Areas: Communal Entrances

Mat-in-a-Box 1550 offers a simple, ready-to-install hybrid barrier matting solution for residential entrances. Designed for light to medium levels of foot and wheeled traffic, it helps capture dirt and moisture before it enters the building. Durable, effective and easy to fit, it supports cleaner, safer communal areas in apartments and shared housing.




For more information or to see the full range visit www.gradus.com




Mat-in-a-Box 1550 with Calculus Wiper

Mat-in-a-Box® 1550 Hybrid Barrier Matting



Typical example:
 > Closed construction
 > 12mm black PVC-u base
 > Terra wiper



Typical example:
 > Closed construction
 > 12mm black PVC-u base
 > Calculus wiper

PVC-u base options



Black
Interior applications



Glacier (grey)
Interior applications


Textile wiper options



Terra
Interior applications



Tempestas
Interior applications



Calculus
Interior applications

Boulevard™ 6000 & 5000

Communal Entrances

Boulevard 6000 & 5000 are high-performance secondary barrier matting ranges that are available in a tile or sheet format. They are used in conjunction with Mat-in-a-Box 6000 & 5000 and in some situations can be used as a standalone matting solution.



For more information or to see the full range visit www.gradus.com



Heavy Traffic Resistance



High Moisture & Dirt Retention




Durable



100% Regenerated SDN Wiper


Boulevard 6000 textile wiper options



Nightfall Y: 1



Storm Y: 3




Spruce Y: 3




Copper Y: 5


Boulevard 5000 textile wiper options




Moorhen Y: 3



Kestrel Y: 5



Mallard Y: 5



Finch Y: 4



Boulevard 6000 - Nightfall

Boulevard™ 1500

Communal Entrances

Boulevard 1500 is a secondary barrier matting range available in a sheet format. It is used in conjunction with Esplanade 1500 and in some situations can be used as a standalone matting solution.



For more information or to see the full range visit www.gradus.com



Medium Traffic Resistance




Medium Moisture & Dirt Retention



Cost Effective



Easy to Install




Durable


Boulevard 1500 textile wiper options




Terra Y: 11



Calculus Y: 9



Tempestas Y: 2



Marinus Y: 3



Boulevard 1500 - Terra

Areas:

Stairwells

XT Stair Edgings deliver high-performance safety for communal stairways, with a unique insert design that wraps around the leading edge for maximum safety underfoot. Available in aluminium, bronze and PVC-u hardnose channels across multiple gauges, they pair with a wide range of slip-resistant insert colours to complement interior schemes and ensure visual contrast is achieved.





For more information or to see the full range visit www.gradus.com




XT Stair Edgings

Channel and insert options




9 Channel finishes

Channel finishes




3 Insert options





Interior

Conditions: Interior Dry
Material: Pvc with mineral inclusion



Xtra-grip


Conditions: Interior Dry / Interior Wet
Material: Pvc with mineral aggregate




Metal Castellated

Conditions: Interior Dry / Interior Wet
Material: Aluminium or bronze

Aluminium:



Bronze:



To see our XT PVC-u Hardnose range visit: www.gradus.com/xt-pvc-u-hardnose


A selection of our case studies



Client: DIY SOS - Nightsafe, Blackburn
Solution: Creation 55 LVT & Tarasafe Ultra H2O




Client: Havannah House, Glasgow
Solution: Taralay Impression Acoustic




Client: Park Hill Flats, Sheffield
Solution: Taralay Impression Compact & Tarasafe Standard



Client: Cityheart Living Student Accommodation, Gloucester
Solution: Tarasafe Impression, Tarasafe Standard, Creation 55 LVT, Taralay Impression Acoustic & Boulevard Entrance Matting



Client: Eastleigh Housing Association
Solution: Mural Revela & Tarasafe H2O



Client: Nelson Place, Belfast
Solution: Taraflex Sports Vinyl, GTI Max, Tarasafe Safety Vinyl, XT Aluminium & PVC-u Hardnose Stair Edgings

Innovation, Service & Design



CPD's and Training

As members of RIBA CPD Providers Network, we offer a full range of RIBA assessed and approved CPD seminars covering: Vinyl Flooring, Sports Flooring, Matting, Wall Protection, Stair Edgings and sector specific CPD's such as Healthcare and Industry.

To book a CPD Seminar, contact our Technical Support team on 01625 428922, email: contractuk@gerflor.com or imail@gradus.com



Floor Plan Design Service

For projects, Gerflor & Gradus offer a free floor plan design service to provide a bespoke design scheme that falls within your specific budget. Utilising your CAD drawings, our in-house Creative Design Team will provide a floor plan that shows a coordinated floor scheme using a combination of products from Gerflor & Gradus' portfolio such as Carpets, LVT, Resilient Flooring, Safety Flooring, Barrier Matting, Wall Protection, LED Lighting and Stair Edgings. The floor plan aims to offer solutions that are the most suitable product for the specific areas in terms of the latest guidance as well as aesthetics, performance, and durability.



Colour Contrast

Colour contrast and light reflectance value (LRV) are key to meeting UK building standards and promoting inclusive design. Colour contrast is the difference between adjacent surfaces, while LRV measures reflected light. Using high-contrast colours and LRVs that meet recommended standards - such as a 30 point difference between floorcovering and stair edging - creates safer, more accessible spaces. These considerations help people with visual impairments navigate environments effectively and support compliance with accessibility regulations, including the Equality Act and Building Regulations Part M.



2030 Targets

Aligned with these priority issues for 2026-2030, we are setting an ambitious and quantified roadmap. These include 10 key objectives that demonstrate our engagement to act on climate action, resource efficiency, circularity, our users and our employees.



Scan the QR code to view full details in our CSR report

<p>we care for climate</p> <p>-30% CO₂ scopes 1, 2, 3 in tons eq CO₂, vs 2019. Science Based Targets</p>	<p>we care for resources</p> <p>75% biobased, mineral and recycled</p>
<p>we care for circularity</p> <p>65 000 tons of waste treated</p>	<p>we care for resources</p> <p>30% recycled content</p>
<p>we care for circularity</p> <p>45% looselay</p>	<p>we care for your health and well-being</p> <p>100% of our products perform better than Indoor Air Quality standards</p>
<p>we care for people</p> <p>30% women</p>	<p>we care for your health and well-being</p> <p>95% sales covered by EPD</p>
<p>we care for people</p> <p>40% internal mobility</p>	<p>we care for people</p> <p>Towards 0 accident</p>



2030 Targets

We are setting an ambitious roadmap to reduce our carbon impact by 2030. These include 8 key objectives that demonstrate our engagement to act on climate, resource efficiency, circularity, our users and our employees.



Scan the QR code to view full details in our CSR report

<p>we care for climate</p> <p>-20% CO₂ reduction scope 1,2,3 in tons eq CO₂ vs 2019</p>	<p>we care for resources</p> <p>28% average percentage of recycled content across all our manufactured PVC products</p>
<p>we care for circularity</p> <p>35% % of stair nose activity without adhesive bond</p>	<p>we care for your health and well-being</p> <p>100% Gradus Manufactured Products covered by EPD</p>
<p>we care for circularity</p> <p>-10% waste sent for incineration</p>	<p>we care for your health and well-being</p> <p>100% REACH compliance across all our suppliers</p>
<p>we care for people</p> <p>30% internal mobility: % of open positions filled by internal candidates</p>	<p>we care for people</p> <p><4 towards 0 accident: Lost time accident per million hours worked: below 4</p>

Gerflor | **GRADUS**

Head Office:

Park Green,
Macclesfield,
Cheshire, SK11 7LZ

Gerflor enquiries

Tel: 01625 428922
E-mail: contractuk@gerflor.com
Website: gerflor.co.uk

Gradus enquiries

Tel: 01625 428922
E-mail: imail@gradus.com
Website: gradus.com